

# References

- [1] ADAMS, C. S., RYBERG, W. A., HIBBITTS, T. J., PIERCE, B. L., PIERCE, J. B., AND RUDOLPH, D. C. Evaluating effectiveness and cost of time-lapse triggered camera trapping techniques to detect terrestrial squamate diversity. *Herpetological Review* 48 (2017), 44–48.
- [2] AHUMADA, J. A., SILVA, C. E. F., GAJAPERSAD, K., HALLAM, C., HURTADO, J., MARTIN, E., MCWILLIAM, A., MUGERWA, B., O'BRIEN, T., ROVERO, F., SHEIL, D., SPIRONELLO, W. R., WINARNI, N., AND ANDELMAN, S. J. Community structure and diversity of tropical forest mammals: data from a global camera trap network. *Philosophical Transactions of the Royal Society* 366 (2011), 2703–2711.
- [3] ALEXY, K. J., BRUNJES, K. J., GASSETT, J. W., AND MILLER, K. V. Continuous remote monitoring of gopher tortoise burrow use. *Wildlife Society Bulletin* 31 (2003), 1240–1243.
- [4] ALLEN, W. L., CUTHILL, I. C., SCOTT-SAMUEL, N. E., AND BADDELEY, R. Why the leopard got its spots: relating pattern development to ecology in felids. *Proceedings of the Royal Society B* (2010), doi:10.1098/rspb.2010.1734.
- [5] ANDERSEN, D. M., AND KEAFER, B. A. An endogenous annual clock in the toxic marine dinoflagellate *Gonyaulax tamarensis*. *Nature* 325 (1987), 616–617.
- [6] ANGELSTAM, P. Conservation of communities - the importance of edges, surroundings and landscape mosaic structure. In *Ecological principles of nature conservation. Application in temperate and boreal environments*, L. Hansson, Ed. Springer, New York, 1992, pp. 9–70.
- [7] APPS, C. D., MCLELLAN, B. N., WOODS, J. G., AND PROCTOR, M. F. Estimating grizzly bear distribution and abundance relative to habitat and human influence. *Journal of Wildlife Management* 68 (2004), 138–152.
- [8] ARROYO-ARCE, S., THOMSON, I., FERNÁNDEZ, C., AND SALOM-PÉREZ, R. Relative abundance and activity patterns of terrestrial mammals in Pacuare Nature Reserve, Costa Rica. *Cuadernos de Investigacion UNED* 9 (2017), 15–21.
- [9] AZLAN, J. M., AND SHARMA, D. S. K. The diversity and activity patterns of wild felids in a secondary forest in Peninsular Malaysia. *Oryx* 40 (2006), 1–6.
- [10] BAILEY, L. L., SIMONS, T. R., AND POLLOCK, K. H. Estimating site occupancy and detection probability parameters for terrestrial salamanders. *Ecological Applications* 14 (2004), 692–702.
- [11] BAILEY, T. N. *The African leopard: ecology and behaviour of a solitary felid*. The Blackburn Press, Caldwell, 1993.
- [12] BAKER, J. R. The evolution of breeding seasons. In *Evolution: essays on aspects of evolutionary biology*, G. R. Beer, Ed. Oxford University Press, 1938, pp. 161–177.
- [13] BALME, G., HUNTER, L., AND SLOTOW, R. Feeding habitat selection by hunting leopards *Panthera pardus* in a woodland savanna: prey catchability versus abundance. *Animal Behaviour* 74 (2007), 589–598.

- 
- [14] BALME, G., AND HUNTER, L. T. B. Mortality in a protected leopard population, Phinda Private Game Reserve, South Africa: a population in decline? *Ecological Journal* 6 (2004), 1–6.
- [15] BALME, G. A., HUNTER, L., AND BRACZKOWSKI, A. R. Applicability of age-based hunting regulations for African leopards. *PLoS ONE* 7 (2012), e35209.
- [16] BALME, G. A., HUNTER, L. T. B., AND SLOTOW, R. Evaluating methods for counting cryptic carnivores. *Journal of Wildlife Management* 73 (2009), 433–441.
- [17] BALME, G. A., LINDSEY, P. A., SWANEPOEL, L. H., AND HUNTER, L. T. B. Failure of research to address the rangewide conservation needs of large carnivores: leopards in South Africa as a case study. *Conservation Letters* 7 (2013), 3–11.
- [18] BANNARI, A., MORIN, D., BONN, F., AND HUETE, A. R. A review of vegetation indices. *Remote Sensing Reviews* 13 (1995), 95–120.
- [19] BARAS, E. Day – night alternation prevails over food availability in synchronising the activity of *Piaractus brachypomus* (Characidae). *Aquatic Living Resources* 13 (2000), 115–120.
- [20] BART, J., DROEGE, S., GEISSLER, P., PETERJOHN, B., AND RALPH, C. J. Density estimation in wildlife surveys. *Wildlife Society Bulletin* 32 (2004), 1242–1247.
- [21] BATSCHULET, E. *Circular statistics in biology*. Academic Press, New York, 1981.
- [22] BECKER, R. A., CHAMBERS, J. M., AND WILKS, A. R. *The new S language*. Wadsworth & Brooks, Pacific Grove, California, 1988.
- [23] BEIER, P., AND CUNNINGHAM, S. C. Power of track surveys to detect changes in cougar populations. *Wildlife Society Bulletin* 24 (1996), 540–546.
- [24] BEIER, P., AND MCCULLOUGH, D. R. Factors influencing white-tailed deer activity patterns and habitat use. *Wildlife Monographs* 109 (1990), 5–51.
- [25] BELOVSKY, G. E., AND SLADE, J. B. Time budgets of grassland herbivores: body size similarities. *Oecologia* 70 (1986), 53–62.
- [26] BENNIE, J. J., DUFFY, J. P., INGER, R., AND GASTON, K. J. Biogeography of time partitioning in mammals. *Proceedings of the National Academy of Sciences* 111 (2014), 13727–13732.
- [27] BENZÉCRI, J.-P. *L'analyse des données*. Dunod, Paris, 1973.
- [28] BOND, W., FERGUSON, M., AND FORSYTH, G. Small mammals and habitat structure along altitudinal gradients in the southern Cape mountains. *South African Journal of Zoology* 15 (1979), 34–43.
- [29] BORCHERS, D. A non-technical overview of spatially explicit capture-recapture models. *Journal of Ornithology* 152 (2010), 435–444.
- [30] BORCHERS, D., DISTILLER, G., FOSTER, R., HARMSSEN, B., AND MILAZZO, L. Continuous-time spatially explicit capture-recapture models, with an application to a jaguar camera-trap survey. *Methods in Ecology and Evolution* 5 (2014), 656–665.
- [31] BORCHERS, D. L., AND EFFORD, M. G. Spatially explicit maximum likelihood methods for capture-recapture studies. *Biometrics* 64 (2008), 377–385.
- [32] BORG, I., AND GROENEN, P. J. F. *Modern multidimensional scaling: theory and applications*. Springer, New York, 1997.
- [33] BORON, V., TZANOPOULOS, J., GALLO, J., BARRAGAN, J., JAIMES-RODRIGUEZ, L., SCHALLER, G., AND PAYAN, E. Jaguar densities across human-dominated landscapes in Colombia: the contribution of unprotected areas to long term conservation. *PLoS ONE* 11 (2016), e0153973.

- [34] BOSHOFF, A. F., KERLEY, G. I. H., AND COWLING, R. M. A pragmatic approach to estimating the distributions and spatial requirements of the medium- to large-sized mammals in the Cape Floristic Region, South Africa. *Diversity and Distributions* 7 (2001), 29–43.
- [35] BOTHMA, J. D. P., KNIGHT, M. H., LE RICHE, E. A. N., AND VAN HENBERGEN, H. J. Range size of southern Kalahari leopards. *South African Journal of Wildlife Research* 27 (1997), 94–100.
- [36] BOWKETT, A., ROVERO, F., AND MARSHALL, A. R. The use of camera-trap data to model habitat use by antelope species in the Udzungwa Mountain forests, Tanzania. *African Journal of Ecology* 46 (2008), 479–487.
- [37] BOYCE, M. S., AND MCDONALD, L. L. Relating population to habitats using resource selection functions. *Trends in Ecology and Evolution* 14 (1999), 268–272.
- [38] BRADSHAW, W. E., AND HOLZAPFEL, C. M. Evolution of animal photoperiodism. *Annual Review of Ecology, Evolution and Systematics* 38 (2007), 1–25.
- [39] BRADSHAW, W. E., AND HOLZAPFEL, C. M. Light, time, and the physiology of biotic response to rapid climate change in animals. *Annual Review of Physiology* 72 (2010), 147–166.
- [40] BRÄNNÄS, E., AND ALANÄRÄ, A. Is diel dualism in feeding activity influenced by competition between individuals? *Canadian Journal of Zoology* 75 (1997), 661–669.
- [41] BRIDGES, A. S., FOX, J. A., OLFENBUTTEL, C., AND VAUGHAN, M. R. American black bear denning behavior: observations and applications using remote photography. *Wildlife Society Bulletin* 32 (2004), 188–193.
- [42] BRIDGES, A. S., AND NOSS, A. J. Behaviour and activity patterns. In *Camera traps in animal ecology*, A. F. O’Connell, J. D. Nichols, and K. U. Karanth, Eds. Springer, Tokyo, 2011, pp. 57–69.
- [43] BRIDGES, A. S., VAUGHAN, M. R., AND KLENZENDORF, S. Seasonal variation in American black bear *Ursus americanus* activity patterns: quantification via remote photography. *Wildlife Biology* 10 (2004), 277–284.
- [44] BRIEN, T. G. O. On the use of automated cameras to estimate species richness for large- and medium- sized rainforest mammals. *Animal Conservation* 11 (2008), 179–181.
- [45] BRODY, S. *Bioenergetics and growth*. Reinhold, New York, 1945.
- [46] BRONSON, F. H. Mammalian reproduction: an ecological perspective. *Biology of Reproduction* 33 (1985), 1–26.
- [47] BROOKS, T. M., BAKAAR, M. I., BOUCHER, T., DA FONSECA, G. A. B., HILTON-TAYLOR, C., HOEKSTRA, J. M., MORITZ, T., OLIVIERI, S., PARRISH, J., PRESSEY, R. L., RODRIGUES, A. S. L., SECHREST, W., STATTERSFIELD, A., STRAHM, W., AND STUART, S. N. Coverage provided by the global protected-area system: is it enough? *BioScience* 54 (2004), 1081–1091.
- [48] BROWN, J. H. Mammals on mountainsides: elevational patterns of diversity. *Global Ecology and Biogeography* 10 (2001), 101–109.
- [49] BROWN, W. L., AND WILSON, E. O. Character displacement. *Systematic Zoology* 5 (1956), 49–64.
- [50] BURNETT, M. R., AUGUST, P. V., BROWN, J. H., AND KILLINGBECK, K. T. The influence of geomorphological heterogeneity on biodiversity I. A patch-scale perspective. *Conservation Biology* 12 (1998), 363–370.
- [51] BURNHAM, K. P., AND ANDERSON, D. R. *Model selection and multimodel inference: a practical information-theoretic approach*. Springer, New York, 2002.
- [52] CADÉE, N., PIERSMA, T., AND DAAN, S. Endogenous circannual rhythmicity in a non-passerine migrant, the Knot *Calidris canutus*. *Ardea* 84 (1996), 75–84.

- 
- [53] CALHOUN, J. B., AND CASBY, J. U. Calculation of home range and density of small mammals. *Public Health Monograph* 55 (1958).
- [54] CAPEN, D. E. Time-lapse photography and computer analysis of behavior of nesting white-faced ibises. In *Wading birds. National Audubon Society Research Report 7*, A. Sprunt, J. C. Ogden, and S. Winckler, Eds. National Audubon Society, New York, 1978, pp. 41–43.
- [55] CARBONE, C., CHRISTIE, S., CONFORTI, K., COULSON, T., FRANKLIN, N., GINSBERG, J. R., GRIF-FITHS, M., HOLDEN, J., KAWANISHI, K., KINNAIRD, M., LAIDLAW, R., LYNAM, A., MACDONALD, D. W., MARTYR, D., MCDUGAL, C., NATH, L., O'BRIEN, T., SEIDENSTICKER, J., SMITH, D. J. L., SUNQUIST, M., TILSON, R., AND WAN SHAHRUDDIN, W. N. The use of photographic rates to estimate densities of tigers and other cryptic mammals. *Animal Conservation* 4 (2001), 75–79.
- [56] CARBONE, C., COWLISHAW, G., ISAAC, N. J. B., AND ROWCLIFFE, J. M. How far do animals go? Determinants of day range in mammals. *The American Society of Naturalists* 165 (2005), 290–297.
- [57] CARBONE, C., AND GITTLEMAN, J. A common rule for the scaling of carnivore density. *Science* 295 (2002), 2273–2276.
- [58] CAROTHERS, J. H., AND JAKSIC, F. M. Time as a niche difference: the role of interference competition. *Oikos* 42 (1984), 403–406.
- [59] CARTHEW, S. M., AND SLATER, E. Monitoring animal activity with automated photography. *Journal of Wildlife Management* 55 (1991), 689–692.
- [60] CAVENDER-BARES, J., KOZAK, K. H., FINE, P. V. A., AND KEMBEL, S. W. The merging of community ecology and phylogenetic biology. *Ecology Letters* 12 (2009), 693–715.
- [61] CHAO, A., CHU, W., AND HSU, C.-H. Capture-recapture when time and behavioral response affect capture probabilities. *Biometrics* 56 (2000), 427–433.
- [62] CHAPMAN, F. M. Who treads our trails? *National Geographic Magazine* 52 (1927), 331–345.
- [63] CHASE, J. M., AND LEIBOLD, M. A. *Ecological niches. Linking classical and contemporary approaches*. University of Chicago Press, Chicago, 2003.
- [64] CLARK, A., AND PÖRTNER, H.-O. Temperature, metabolic power and the evolution of endothermy. *Biological Reviews* 85 (2010), 703–727.
- [65] CLAYPOOL, L. E. *The environmental and physiological determinants of activity patterns in Microtus montanus the montane vole*. PhD thesis, Univeristy of Utah, Salt Lake City, UT, 1984.
- [66] CONROY, M. J. Abundance indices. In *Measuring and monitoring biological diversity: standard methods for mammals*, D. E. Wilson, F. R. Cole, J. D. Nichols, R. Rudran, and M. S. Foster, Eds. Institution Press, Washington, 1996, pp. 179–192.
- [67] COVE, M. V., SIMONS, T. R., GARDNER, B., MAURER, A. S., AND CONNELL, A. F. O. Evaluating nest supplementation as a recovery strategy for the endangered rodents of the Florida Keys. *Restoration Ecology* 25 (2016), 1–8.
- [68] CRAIG, G. H., AND CRAIG, J. L. An automatic nest recorder. *Ibis* 116 (1974), 557–561.
- [69] CREEL, S., AND CHRISTIANSON, D. Wolf presence and increased willow consumption by Yellowstone elk: implications for trophic cascades. *Ecology* 90 (2009), 2454–2466.
- [70] CRITICAL ECOSYSTEM PARTNERSHIP FUND. Ecosystem profile: the succulent Karoo hotspot Namibia and South Africa. Tech. rep., South African National Biodiversity Institute, Cape Town, 2003.
- [71] CROMPTON, A. W. Biology of the earliest mammals. In *Comparative physiology: primitive mammals*, K. Schmidt-Nielsen, L. Bolis, and C. R. Taylor, Eds. Cambridge University Press, New York, 1980.

- [72] CUTLER, T. L., AND SWANN, D. E. Using remote photography in wildlife ecology: a review. *Wildlife Society Bulletin* 27 (1999), 571–581.
- [73] DAAN, S. Adaptive daily strategies in behavior. In *Biological rhythms*, Jürgen Aschoff, Ed. Springer US, 1981, pp. 275–298.
- [74] DAAN, S., AND ASCHOFF, J. Circadian rhythms of locomotor activity in captive birds and mammals: their variations with season and latitude. *Oecologia* 18 (1975), 269–316.
- [75] DAVIES, T. J., MERI, S., BARRACLOUGH, T. G., AND GITTLEMAN, J. L. Species co-existence and character divergence across carnivores. *Ecology Letters* 10 (2007), 146–152.
- [76] DAYAN, T., AND SIMBERLOFF, D. Ecological and community-wide character displacement: the next generation. *Ecology Letters* 8 (2005), 875–894.
- [77] DE ALMEIDA JACOMO, A. T., SILVEIRA, L., AND DINIZ-FILHO, J. A. F. Niche separation between the maned wolf (*Chrysocyon brachyurus*), the crab-eating fox (*Dusicyon thous*) and the hoary fox (*Dusicyon vetulus*) in central Brazil. *Zoological Society of London* 262 (2004), 99–106.
- [78] DE CANDOLLE, A. P. A. *Constitution dans le règne végétal de groupes physiologiques applicables à la géographie ancienne et moderne*. Archives des sciences des la Bibliothèque universelle, Genève, 1874.
- [79] DE LA VEGA, C., LEBRETON, B., SIEBERT, U., GUILLOU, G., DAS, K., ASMUS, R., AND ASMUS, H. Seasonal variation of harbor seal’s diet from the Wadden sea in relation to prey availability. *PLoS ONE* (2016), e0155727.
- [80] DI BITETTI, M. S., DI BLANCO, Y. E., PEREIRA, J. A., AND PAVIOLO, A. Time partitioning favors the coexistence of sympatric crab-eating foxes (*Cerdocyon thous*) and pampas foxes (*Lycalopex gymnocercus*). *Journal of Mammalogy* 90 (2009), 479–490.
- [81] DICKINSON, J. L., AND BONNEY, R. *Citizen science. Public participation in environmental research*. Cornell University Press, New York, 2012.
- [82] DOWNES, S. J. Trading heat and food for safety: costs of predator avoidance in a lizard. *Ecology* 82 (2001), 2870–2881.
- [83] DRISCOLL, K., LACEY, M., AND GREATHOUSE, J. Use of camera trapping to determine spatial distribution, habitat use, and environmental factors affecting mesopredators on reclaimed mine lands at the wilds. *Journal American Society of Mining and Reclamation* 6 (2017), 15–33.
- [84] DU PREEZ, B. D., LOVERIDGE, A. J., AND MACDONALD, D. W. To bait or not to bait: A comparison of camera-trapping methods for estimating leopard *Panthera pardus* density. *Biological Conservation* 176 (2014), 153–161.
- [85] DUTHIE, A., SKINNER, J., AND ROBINSON, T. The distribution and status of the riverine rabbit, *Bunolagus monticularis*, South Africa. *Biological Conservation* 47 (1989), 195–202.
- [86] EBERHARDT, L. L. Population estimates from recapture frequencies. *Journal of Wildlife Management* 33 (1969), 28–39.
- [87] EFFORD, M. Density estimation in live-trapping studies. *Oikos* 3 (2004), 598–610.
- [88] EFFORD, M. *Finite mixture models in secr*. University of Otago, Dunedin, 2010.
- [89] EFFORD, M. *SECR overview*. University of Otago, Dunedin, 2013.
- [90] EFFORD, M. *SECR: Spatially Explicit Capture-Recapture in R*. University of Otago, Dunedin, 2013.
- [91] EFFORD, M. *Adjustment for varying effort in secr 3.0*. No. X. University of Otago, Dunedin, 2017.
- [92] EFFORD, M. *Habitat masks in the package secr*. University of Otago, Dunedin, 2017.

- 
- [93] EFFORD, M. *Multi-session models in secr 3.0*. University of Otago, Dunedin, 2017.
- [94] EFFORD, M. *secr package: Spatially Explicit Capture-Recapture in R*. The Comprehensive R Archive Network, Version 3.1.0. Vienna, Austria, 2017.
- [95] EFFORD, M. G. Varying effort in capture–recapture studies. *Methods in Ecology and Evolution* 4 (2013), 629.
- [96] EFFORD, M. G., BORCHERS, D. L., AND BYROM, A. E. Density estimation by spatially explicit capture–recapture: likelihood-based methods. In *Modeling demographic processes in marked populations*, D. L. Thomson, E. G. Cooch, and M. J. Conroy, Eds. Springer, Boston, 2009, pp. 255–269.
- [97] ELLIOTT, J. A., AND GOLDMAN, B. D. Seasonal reproduction: photoperiodism and biological clocks. In *Neuroendocrinology of reproduction*. 1981, pp. 377–423.
- [98] EMERSON, B. C., AND GILLESPIE, R. G. Phylogenetic analysis of community assembly and structure over space and time. *Trends in Ecology and Evolution* 23 (2008), 619–630.
- [99] ENDERSON, J. H., TEMPLE, S. A., AND SWARTZ, L. G. Time-lapse photographic records of nesting peregrine falcons. *Living Bird* 11 (1972), 113–128.
- [100] EVELYN, J. *Sylvia, or a discourse of forest-trees, and the propagation of timber in his majesties dominions*. Royal Society, London, 1664.
- [101] FABRICIUS, C., AND COETZEE, K. Geographic information systems and artificial intelligence for predicting the presence or absence of mountain reedbeek. *South African Journal of Wildlife Research* 22 (1992), 80–86.
- [102] FARCOMENI, A., AND SCACCIATELLI, D. Heterogeneity and behavioral response in continuous time capture–recapture, with application to street cannabis use in Italy. *Annals of Applied Statistics* 7 (2013), 2293–2314.
- [103] FEDRIANI, J. M., FULLER, T. K., SAUVAJOT, R. M., AND YORK, E. C. Competition and intraguild predation among three sympatric carnivores. *Oecologia* 125 (2000), 258–270.
- [104] FEIERABEND, D., AND KIELLAND, K. Movements, activity patterns, and habitat use of snowshoe hares (*Lepus americanus*) in interior Alaska. *Journal of Mammalogy* 95 (2014), 525–533.
- [105] FERNANDEZ-DUQUE, E. Influences of moonlight, ambient temperature and food availability on the diurnal and nocturnal activity of owl monkeys (*Aotus azarai*). *Behavioral Ecology and Sociobiology* 54 (2014), 431–440.
- [106] FISCHER, J. T., ANHOLT, B., BARDBURY, S., WHEATLEY, M., AND VOLPE, J. P. Spatial segregation of sympatric marten and fishers: the influence of landscapes and species-scapes. *Ecography* 36 (2013), 240–248.
- [107] FISCHER, L. A., AND GATES, C. C. Competition potential between sympatric woodland caribou and wood bison in southwestern Yukon, Canada. *Canadian Journal of Zoology* 83 (2005), 1162–1173.
- [108] FISHER, N. I. *Statistical analysis of circular data*. Cambridge University Press, Cambridge, 1993.
- [109] FOSTER, R. G., AND KREITZMAN, L. *Seasons of life: the biological rhythms that enable living things to thrive and survive*. Yale University Press, New York, 2009.
- [110] FOSTER, R. J., AND HARMSEN, B. J. A critique of density estimation from camera-trap data. *The Journal of Wildlife Management* 76 (2012), 224–236.
- [111] FOX, S. *The american conservation movement. John Muir and his legacy*. The University of Wisconsin Press, Madison, 1981.
- [112] FRECKLETON, R. P., AND WATKINSON, A. R. Large-scale spatial dynamics of plants: metapopulations, regional ensembles and patchy populations. *Journal of Ecology* 90 (2002), 419–434.

- 
- [113] FULLER, A., HETEM, R. S., MALONEY, S. K., AND MITCHELL, D. Adaptation to heat and water shortage in large, arid-zone mammals. *Physiology* 29 (2014), 159–167.
- [114] GABRIEL, K. R. The biplot graphic display of matrices with application to principal component analysis. *Biometrika* 58 (1971), 453–467.
- [115] GALLO, J. A., PASQUINI, L., REYERS, B., AND COWLING, R. M. The role of private conservation areas in biodiversity representation and target achievement within the Little Karoo region, South Africa. *Biological Conservation* 142 (2009), 446–454.
- [116] GERKEMA, M. P., DAVIES, W. I. L., FOSTER, R. G., MENAKER, M., AND HUT, R. A. The nocturnal bottleneck and the evolution of activity patterns in mammals. *Proceedings of the Royal Society B* 280 (2013), 20130508.
- [117] GIBBONS, A. Conservation biology in the fast track. *Science* 255 (1992), 20–22.
- [118] GIBSON, L. A. The importance of incorporating imperfect detection in biodiversity assessments: a case study of small mammals in an Australian region. *Diversity and Distributions* 17 (2011), 613–623.
- [119] GLEASON, H. A. The structure and development of the plant association. *Bulletin of the Torrey Botanical Club* 44 (1917), 463–481.
- [120] GLEASON, H. A. The individualistic concept of the plant association. *American Midland Naturalist* 21 (1939), 92–110.
- [121] GOLDMAN, B. D. The circadian timing system and reproduction in mammals. *Steroids* 64 (1999), 679–685.
- [122] GOLDMAN, B. D. Mammalian photoperiodic system: formal properties and neuroendocrine mechanisms of photoperiodic time measurement. *Journal of Biological Rhythms* 16 (2001), 283–301.
- [123] GOLUB, G. H., AND REINSCH, C. Singular value decomposition and least squares solutions. *Numerical Mathematics* 14 (1970), 403–420.
- [124] GRANT, T. *Leopard population density, home range size and movement patterns in a mixed landuse area of the Mangwe district of Zimbabwe*. No. February. MSc thesis, Rhodes University, Grahamstown, 2012.
- [125] GRAY, T. N. E., AND PHAN, C. Habitat preferences and activity patterns of the larger mammal community in Phnom Prich Wildlife Sanctuary, Cambodia. *The Raffles Bulletin of Zoology* 59 (2011), 311–318.
- [126] GREENACRE, M. J., AND UNDERHILL, L. G. Scaling a data matrix in a low dimensional Euclidian space. In *Topics in applied multivariate analysis*, D. M. Hawkins, Ed. Cambridge University Press, Cambridge, 1982, pp. 183–268.
- [127] GRIFFITHS, M., AND VAN SCHAİK, C. P. Camera-trapping: a new tool for the study of elusive rain forest animals. *Tropical Biodiversity* 1 (1993), 131–135.
- [128] GRIFFITHS, M., AND VAN SCHAİK, C. P. The impact of human traffic on the abundance and activity periods of sumatran rain forest wildlife. *Conservation Biology* 7 (1993), 623–626.
- [129] GUGGISBERG, C. A. W. *Early wildlife photographer*. Taplinger Pub. Co, New York, 1977.
- [130] GUIBAN, A., AND THUILLER, W. Predicting species distribution: offering more than simple habitat models. *Ecology Letters* 8 (2005), 993–1009.
- [131] GWINNER, E. *Circannual rhythms*. Springer, Heidelberg, Germany, 1986.
- [132] HAECKEL, E. *Generelle Morphologie der Organismen*. Berlin, 1866.

- 
- [133] HALL, S. J., AND RAFFAELLI, D. G. Food webs: theory and reality. *Advances in Ecological Research* 24 (1993), 187–239.
- [134] HANSSON, L. Why ecology fails at application: should we consider variability more than regularity? *Oikos* 100 (2003), 624–627.
- [135] HARMSÉN, B. J., FOSTER, R. J., SILVER, S. C., OSTRO, L. E. T., AND DONCASTER, C. P. Jaguar and puma activity patterns in relation to their main prey. *Mammalian Biology* 76 (2011), 320–324.
- [136] HAYWARD, G. D., MIQUELLE, D. G., SMIRNOV, E. N., AND NATIONS, C. Monitoring Amur tiger populations: characteristics of track surveys in snow. *Wildlife Society Bulletin* 30 (2002), 1150–1159.
- [137] HEARN, A. J., ROSS, J., BERNARD, H., ABU BAKAR, S., HUNTER, L. T. B., AND MACDONALD, D. W. The first estimates of marbled cat *Pardofelis marmorata* population density from Bornean primary and selectively logged forest. *PLoS ONE* 11 (2016), e0151046.
- [138] HEILBRUN, R. D., SILVY, N. J., PETERSON, M. J., AND TEWES, M. E. Estimating bobcat abundance using automatically triggered cameras. *Wildlife Society Bulletin* 34 (2006), 69–73.
- [139] HELM, B., AND LINCOLN, G. A. Circannual rhythms anticipate the Earth’s annual periodicity. In *Biological timekeeping: clocks, rhythms and behaviour*, V. Kumar, Ed. Springer India, New Delhi, 2017, pp. 545–569.
- [140] HENSCHÉL, P., HUNTER, L. T. B., BREITENMOSER, U., PACKER, C., KHOROZYAN, I. G., BAUER, H., MARKER, L. L., SOGBOHOSSOU, E., AND BREITENMOSER-WÜRSTEN, C. *Panthera pardus*. In *IUCN Red List of threatened species*. IUCN Species Survival Commission, Gland, 2008.
- [141] HERNÁNDEZ, D., ROLLINS, D., AND CANTU, R. An evaluation of Trailmaster camera systems for identifying ground-nest predators. *Wildlife Society Bulletin* 25 (1997), 848–853.
- [142] HERVEY, G. R. Physiological mechanisms for the regulation of energy balance. *Proceedings of the Nutrition Society* 30 (1965), 119–122.
- [143] HIRSCHFELD, H. O. A connection between correlation and contingency. *Mathematical Proceedings of the Cambridge Philosophical Society* 31 (1935), 520–524.
- [144] HOFFMAN, M. T., COUSINS, B., MEYER, T., PETERSEN, A., AND HENDRICKS, H. Historical and contemporary land use and the desertification of the Karoo. In *The Karoo, ecological patterns and processes*, W. Richard, J. Dean, and S. Milton, Eds. Cambridge University Press, 1999, pp. 257–273.
- [145] HOLYOAK, M., LEIBOLD, M. A., AND HOLT, R. D. The effects of spatial processes on two species interactions. In *Metacommunities. Spatial dynamics and ecological communities*, no. October 2016. University of Chicago Press, London, 2005, pp. 35–67.
- [146] HOOGESTEIJN, R., AND MONDOLFI, E. *The jaguar*. Armitano Editores, Caracas, 1992.
- [147] HORTON, T. H. Conceptual issues in the ecology and evolution of circadian rhythms. In *Handbook of behavioral neurobiology. Vol. 12. Circadian clocks*, J. S. Takahashi, F. W. Turek, and R. Y. Moore, Eds. Plenum Press, New York, 2001, pp. 45–57.
- [148] HUNT, R. H., AND OGDEN, J. J. Selected aspects of the nesting ecology of American alligators in the Okefenokee Swamp. *Journal of Herpetology* 25 (1991), 448–453.
- [149] HUTCHINSON, E. G. *Ecological theatre and the evolutionary play*. Yale University Press, New Haven, 1965.
- [150] III, J. W. C., KRAUSMAN, P. R., ROSENSTOCK, S. S., AND TURNER, J. C. Mechanisms of thermoregulation and water balance in desert ungulates. *Wildlife Society Bulletin* 7648 (2015), 570–581.



- [151] IKEDA, T., UCHIDA, K., MATSUURA, Y., TAKAHASHI, H., YOSHIDA, T., KAJI, K., AND KOIZUMI, I. Seasonal and diel activity patterns of eight sympatric mammals in northern Japan revealed by an intensive camera-trap survey. *PLoS ONE* 11 (2016), e0163602.
- [152] IUCN. *IUCN Red List categories and criteria*. IUCN Species Survival Commission, Gland, 2012.
- [153] JABLONSKI, D., ROY, K., AND VALENTINE, J. W. Out of the tropics: evolutionary dynamics of the latitudinal diversity gradient. *Science* 314 (2006), 102–106.
- [154] JACKSON, R. M., ROE, J. D., WANGCHUK, R., AND HUNTER, D. O. Estimating snow leopard abundance using photographic identification and capture-recapture techniques. *Wildlife Society Bulletin* 34 (2006), 772–781.
- [155] JACOBS, J. Quantitative measurement of food selection: a modification of the forage ratio and Ivlev's electivity index. *Oecologia* 14 (1974), 413–417.
- [156] JAMMALAMADAKA, S. R., AND SENGUPTA, A. *Topics in circular statistics*. World Scientific Publishing, Singapore, 2001.
- [157] JARMAN, P. J. Behaviour of topi in a shadeless environment. *Zoologica Africana* 12 (1977), 101–111.
- [158] JAY A . ALDERMAN, P. R. . K., AND LEOPOLD, B. D. . Diel activity of female desert bighorn sheep in Western Arizona. *Journal of Wildlife Management* 53 (1989), 264–271.
- [159] JOHNSON, D. D. P., BAKER, S., MORECROFT, M. D., AND MACDONALD, D. W. Long-term resource variation and group size: a large-sample field test of the resource dispersion hypothesis. *BioMed Central Ecology* 1 (2001), 25–34.
- [160] JONES, M., MANDELIK, Y., AND DAYAN, T. Coexistence of temporally partitioned spiny mice: roles of habitat structure and foraging behavior. *Ecology* 82 (2001), 2164–2176.
- [161] JORDAN, M. J., BARRETT, R. H., AND PURCELL, K. L. Camera trapping estimates of density and survival of fishers (*Martes pennanti*). *Wildlife Biology* 17 (2011), 266–276.
- [162] KARANTH, K. U. Estimation of tiger densities in india using photographic captures and recaptures. *Biological Conservation* 79 (1995), 333–338.
- [163] KARANTH, K. U., AND NICHOLS, J. D. Estimation of tiger densities in India using photographic captures and recaptures. *Ecology* 79 (1998), 2852–2862.
- [164] KARANTH, K. U., NICHOLS, J. D., AND KUMAR, N. S. Estimating tiger abundance from camera trap data: field surveys and analytical issues. In *Camera traps in animal ecology: methods and analyses*, A. F. O'Connell, J. D. Nichols, and K. U. Karanth, Eds. Springer, Japan, 2011, pp. 97–117.
- [165] KARANTH, K. U., AND SUNQUIST, M. E. Behavioural correlates of predation by tiger (*Panthera tigris*), leopard (*Panthera pardus*) and dhole (*Cuon alpinus*) in Nagarahole, India. *Zoological Society of London* (2000), 255–265.
- [166] KAYS, R., TILAK, S., KRANSTAUBER, B., JANSEN, P. A., CARBONE, C., ROWCLIFFE, M., FOUNTAIN, T., EGGERT, J., AND HE, Z. Camera traps as sensor networks for monitoring animal communities. *International Journal of Research and Reviews in Wireless Sensor Networks* 1 (2011), 19–29.
- [167] KELLY, M. J., AND HOLUB, E. L. Camera trapping of carnivores: trap success among camera types and across species, and habitat selection by species, on salt pond mountain, Giles county, Virginia. *Northeastern Naturalist* 15 (2008), 249–262.
- [168] KENAGY, G. J. Daily and seasonal patterns of activity and energetics in a heteromyid rodent community. *Ecology* 54 (1973), 1201–1219.
- [169] KENAGY, G. J. The periodicity of daily activity and its seasonal changes in free-ranging and captive kangaroo rats. *Oecologia* 24 (1976), 105–140.

- 
- [170] KENAGY, G. K. Seasonality of endogenous circadian rhythms in a diurnal rodent *Ammospermophilus leucurus* and a nocturnal rodent *Dipodomys merriami*. *Journal of Comparative Physiology* 128 (1978), 21–36.
- [171] KENT, V. T., AND HILL, R. A. The importance of farmland for the conservation of the brown hyaena *Parahyaena brunnea*. *Oryx* 47 (2013), 431–440.
- [172] KETEN, A. Distribution and habitat preference of roe deer (*Capreolus capreolus* L.) in Düzce Province (Turkey). *Journal of the Faculty of Forestry Istanbul University* 67 (2017), 22–28.
- [173] KILGO, J. C., LABISKY, R. F., AND FRITZEN, D. E. Influence of hunting on the behavior of white-tailed deer: implication for conservation of the florida panther. *Conservation Biology* 12 (1998), 1359–1364.
- [174] KITCHEN, A. M., GESE, E. M., AND SCHAUSTER, E. R. Resource partitioning between coyotes and swift foxes: space, time, and diet. *Canadian Journal of Zoology* 77 (1999), 1645–1656.
- [175] KLEIN, D. C., COON, S. L., ROSEBOOM, P. H., WELLER, J. L., BERNARD, M., GASTEL, J. A., ZATZ, M., IUVONE, P. M., RODRIGUEZ, I. R., BÉGAY, V., FALCON, J., CAHILL, G. M., CASSONE, V. M., AND BALER, R. The melatonin rhythm-generating enzyme: molecular regulation of serotonin N-acetyltransferase in the pineal gland. *Recent Progress in Hormone Research* 52 (1997), 307–358.
- [176] KNEITEL, J. M., AND CHASE, J. M. Trade-offs in community ecology: linking spatial scales and species coexistence. *Ecology Letters* 7 (2004), 69–80.
- [177] KOEHLER, G. M., AND HORNOCKER, M. G. Influences of season on bobcats in Idaho, USA. *Journal of Wildlife Management* 53 (1989), 197–202.
- [178] KOPROWSKI, J. L., AND CORSE, M. C. Time budgets, activity periods, and behavior of mexican fox squirrels. *Journal of Mammalogy* 86 (2005), 947–952.
- [179] KOTLER, B. P., BROWN, J. S., AND SUBACH, A. Mechanisms of species coexistence of optimal foragers: temporal partitioning by two species of sand dune gerbils. *Oikos* 67 (1993), 548–556.
- [180] KRUSKAL, J. B. Multidimensional scaling by optimizing goodness of fit to a nonmetric hypothesis. *Psychometrika* 29 (1964), 1–27.
- [181] KRUSKAL, J. B. Nonmetric multidimensional scaling: a numerical method. *Psychometrika* 29 (1964), 115–129.
- [182] KUCERA, T. E., AND BARRETT, R. H. In my experience: the trailmaster camera system for detecting wildlife. *Wildlife Society Bulletin* 21 (1993), 505–508.
- [183] KUCERA, T. E., AND BARRETT, R. H. A history of camera trapping. In *Camera traps in animal ecology: methods and analyses*, A. F. O’Connell, J. D. Nichols, and K. U. Karanth, Eds., no. January 2011. Springer, London, 2011, pp. 9–26.
- [184] KURE, N. *Living with leopards*. Sunbird, Cape Town, 2003.
- [185] LAURENCE, W. F., AND GRANT, J. D. Photographic identification of ground-nest predators in Australian tropical rainforest. *Wildlife Research* 21 (1994), 241–247.
- [186] LAWTON, J. H. *Community ecology in a changing world*. Ecology Institute, Oldendorf (Luhe), Germany, 1996.
- [187] LAWTON, J. H. Are there general laws in ecology? *Oikos* 84 (1999), 177–192.
- [188] LE MAITRE, D. C., MILTON, S. J., JARMAN, C., COLVIN, C. A., VLOK, J. H. J., MAITRE, D. C. L., MILTON, S. J., JARMAN, C., COLVIN, C. A., SAAYMAN, I., AND VLOK, J. H. J. Linking ecosystem services and water resources: landscape-scale hydrology of the Little Karoo. *Frontiers in Ecology and the Environment* 5, 5 (2007), 261–270.

- [189] LE ROUX, P. G., AND SKINNER, J. D. A note on the ecology of the leopard (*Panthera pardus Linnaeus*) in the Londolozi Game Reserve, South Africa. *African Journal of Ecology* 27 (1989), 167–171.
- [190] LEE, T. M., CARMICHAEL, M. S., AND ZUCKER, I. Circannual variations in circadian rhythms of ground squirrels. *American Journal of Physiology* 250 (1986), 831–836.
- [191] LEE, T. M., HOMES, W. G., AND ZUCKER, I. Temperature dependence of circadian rhythms in golden-mantled ground squirrels. *Journal of Biological Rhythms* 5 (1990), 25–34.
- [192] LEIBOLD, M. A., HOLYOAK, M., MOUQUET, N., AMARASEKARE, P., CHASE, J. M., HOOPES, M. F., HOLT, R. D., SHURIN, J. B., LAW, R., TILMAN, D., LOREAU, M., AND GONZALEZ, A. The meta-community concept: a framework for multi-scale community ecology. *Ecology Letters* 7 (2004), 601–613.
- [193] LEWIN, R. Supply-Side Ecology. *Science* 234 (1986), 25–27.
- [194] LINCOLN, G. A., CLARKE, I. J., HUT, R. A., AND HAZLERIGG, D. G. Characterizing a mammalian circannual pacemaker. *Science* 314 (2006), 1941–1944.
- [195] LINDSEY, P. A., MASTERSON, C. L., BECK, A. L., AND ROMANACH, S. Ecological, social and financial issues related to fencing as a conservation tool in Africa. In *Fencing for conservation: restriction of evolutionary potential or a riposte to threatening processes?*, no. January 2012. Springer New York, 2012, pp. 215–234.
- [196] LOMBARD, A. T., COWLING, R. M., VLOK, J. H. J., AND FABRICUS, C. Designing conservation corridors in production landscapes: assessment methods, implementation issues, and lessons learned. *Ecology and Society* 15 (2010), 7.
- [197] LOMOLINO, M. Elevation gradients of species diversity: historical and prospective views. *Global Ecology and Biogeography* 10 (2001), 3–13.
- [198] LOVEGROVE, B. The deserts of southern Africa. In *The living deserts of southern Africa*. Fernwood Press, Vlaeberg, 1993, pp. 18–19.
- [199] LOW, A. B., AND ROBELO, A. G. *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria, South Africa, 1996.
- [200] MAC NALLY, R. C. *Ecological versatility and community ecology*. Cambridge University Press, Cambridge, UK, 1995.
- [201] MACCARINI, T. B., ATTIAS, N., MEDRI, I. M., MARINHO-FILHO, J., AND MOURAO, G. Temperature influences the activity patterns of armadillo species in a large neotropical wetland. *Mammal Research* 60 (2015), 403–409.
- [202] MACE, R. D., MINTA, S. C., MANLEY, T. L., AND AUNE, K. E. Estimating grizzly bear population size using camera sightings. *Wildlife Society Bulletin* 22 (1994), 74–83.
- [203] MAFFEI, L., CUÉLLAR, E., AND NOSS, A. One thousand jaguars (*Panthera onca*) in Bolivia's Chaco? Camera trapping in the Kaa-Iya National Park. *Zoological Society of London* 262 (2004), 295–304.
- [204] MAFFEI, L., AND NOSS, A. J. How small is too small? Camera trap survey areas and density estimates for ocelots in the Bolivian Chaco. *Biotropica* 40 (2008), 71–75.
- [205] MAFFEI, L., NOSS, A. J., CUÉLLAR, E., AND RUMIZ, D. I. Ocelot (*Felis pardalis*) population densities, activity, and ranging behaviour in the dry forests of eastern Bolivia: data from camera trapping. *Journal of Tropical Ecology* 21 (2005), 349–353.
- [206] MAHER, R., AND LOTT, F. Definitions of territoriality used in the study of variation in vertebrate spacing systems. *Animal Behaviour* 49 (1995), 1581–1597.

- 
- [207] MAJOR, R. E., AND GOWING, G. An inexpensive photographic technique for identifying nest predators at active nests of birds. *Wildlife Research* 21 (1994), 657–666.
- [208] MANN, G. *Aspects of the ecology of leopards (panthera pardus) in the Little Karoo, South Africa*. PhD thesis, Rhodes University, 2014.
- [209] MARDIA, K. V., KENT, J. T., AND BIBBLY, J. M. *Multivariate analysis*. Academic Press, London, 1979.
- [210] MARTINS, Q., AND HARRIS, S. Movement, activity and hunting behaviour of leopard in the Cederberg mountains, South Africa. *African Journal of Ecology* 51 (2013), 571–579.
- [211] MARTINS, Q., HORSNELL, W. G. C., TITUS, W., RAUTENBACH, T., AND HARRIS, S. Diet determination of the Cape mountain leopards using global positioning system location clusters and scat analysis. *Journal of Zoology* 283, 2 (2011), 81–87.
- [212] MARTINS, Q., AND MARTINS, N. Leopards of the Cape: conservation and conservation concerns. *International Journal of Environmental Studies* 63, 5 (2006), 579–585.
- [213] MARTINS, Q. E. *The ecology of the leopard Panthera pardus in the Cederberg Mountains*. PhD thesis, University of Bristol, Bristol, UK, 2010.
- [214] MCCAIN, C. M. The mid-domain effect applied to elevational gradients: species richness of small mammals in Costa Rica. *Journal of Biogeography* 31 (2004), 19–31.
- [215] MCCAIN, C. M. Elevational gradients in diversity of small mammals. *Ecology* 86 (2005), 366–372.
- [216] MCCAIN, C. M., AND BECK, J. Species turnover in vertebrate communities along elevational gradients is idiosyncratic and unrelated to species richness. *Global Ecology and Biogeography* 25 (2015), 299–310.
- [217] MCCULLAGH, P. John Wilder Tukey. *Biographical Memoirs of Fellows of the Royal Society* 49 (2003), 537–555.
- [218] MCINTOSH, R. P. *The background of ecology: concept and theory*. Cambridge University Press, 1985.
- [219] MCNAB, B. K. Bioenergetics and the determination of home range size. *American Naturalist* 97 (1963), 133–140.
- [220] MECHTLY, E. A. *The International System of Units. Physical constants and conversion factors*. National Aeronautics and Space Administration, Washington, 1973.
- [221] MEEK, P. D., BALLARD, G.-A., FLEMING, P. J. S., SCHAEFER, M., WILLIAMS, W., AND FALZON, G. Camera traps can be heard and seen by animals. *PLoS ONE* 9 (2014), e110832.
- [222] MEENTEMEYER, V., AND BOX, E. O. Scale effects in landscape studies. In *Landscape heterogeneity and disturbance*, M. G. Turner, Ed. 1987, pp. 15–34.
- [223] MENAKER, M., MONEIRA, L. F., AND TOSINI, G. Evolution of circadian organization in vertebrates. *Brazilian Journal of Medical and Biological Research* 30 (1977), 305–313.
- [224] MENAKER, M., AND TOSINI, G. The evolution of vertebrate circadian systems. In *Circadian organisation and oscillatory coupling*, K. I. Honma and S. Honma, Eds. Hokkaido University Press, Sapporo, Japan, 1996, pp. 39–52.
- [225] MENZEL, M. A., FORD, W. M., LAERM, J., AND KRISHON, D. Forest to wildlife opening: habitat gradient analysis among small mammals in the southern Appalachians. *Forest Ecology and Management* 114 (1999), 227–232.
- [226] MEREDITH, M., AND RIDOUT, M. *Estimates of coefficient of overlapping for animal activity patterns*. R package version 3.2.4. Vienna, Austria, 2014.

- [227] MERRIAM, C. H. Results of a biological survey of the San Francisco mountain region and desert of the Little Colorado, Arizona. *North American Fauna* 3 (1890), 1–136.
- [228] MERRIAM, C. H. *Life zones and crop zones of the United States*. Government Printing Office, Washington, 1898.
- [229] MILNE, B. T. Heterogeneity as a multiscale characteristic of landscapes. In *Ecological heterogeneity*, J. Kolasa and S. T. A. Pickett, Eds. 1991, pp. 69–84.
- [230] MITTERMEIER, R. A., GIL, P. R., HOFFMAN, M., PILGRIM, J., BROOKS, T., MITTERMEIER, C. G., LAMOREUX, J., AND DA FONSECA, G. A. B. *Hotspots revisited: Earth's biologically richest and most endangered terrestrial ecoregions*. Cemex Books, Mexico, 2005.
- [231] MITTERMEIER, R. A., TURNER, W. R., LARSEN, F. W., BROOKS, T. M., AND GASCON, C. Global biodiversity conservation: the critical role of hotspots. In *Biodiversity hotspots*, F. E. Zachos and J. C. Habel, Eds., no. January. Springer, Verlag Berlin Heidelberg, 2011, pp. 3–22.
- [232] MIYAZAKI, Y., NISIMURA, Y., AND NUMATA, H. Circannual rhythm in the varied carped beetle, *Anthrenus verbasci*. In *The neurobiology of circadian timing*, A. Kalsbeek, M. Merrow, T. Roenneberg, and R. G. Foster, Eds., vol. 199. Elsevier, Amsterdam, 2012, pp. 439–456.
- [233] MIZUTANI, F., AND JEWELL, P. A. Home-range and movements of leopards (*Panthera pardus*) on a livestock ranch in Kenya. *Journal of Zoology* 244 (1998), 269–286.
- [234] MOEBIUS, K. *Die Auster und die Austernwirtschaft*. Ecology Institute, Berlin, 1877.
- [235] MOONEY, C. Z., AND DUVAL, R. D. *Bootstrapping: a non-parametric approach to statistical inference*. SAGE University Paper series, Newbury Park, CA: SAGE, 1993.
- [236] MOORE, I. T., BONIER, F., AND WINGFIELD, J. C. Reproductive asynchrony and population divergence between two tropical bird populations. *Behavioral Ecology* 16 (2005), 755–762.
- [237] MORRISON, M. L., MARCOT, B. G., AND MANNAN, R. W. *Wildlife-habitat relationships: concepts and applications*, third edit ed. Island Press, Washington, 2006.
- [238] MORTON, S. R., STAFFORD SMITH, D. M., FRIEDEL, M. H., GRIFFIN, G. F., AND PICKUP, G. The stewardship of arid Australia: ecology and landscape management. *Journal of Environmental Management* 43 (1995), 195–217.
- [239] MROSOVSKY, N. Locomotor activity and non-photic influences on circadian clocks. *Biological Reviews* 71 (1996), 343–372.
- [240] MYERS, N. Biodiversity hotspots revisited. *BioScience* 53 (2003), 916–917.
- [241] MYERS, N., MITTERMEIER, R. A., MITTERMEIER, C. G., DA FONSECA, A. B., AND KENT, J. Biodiversity hotspots for conservation priorities. *Nature* (2000), 853–858.
- [242] NASA EOSDIS LAND PROCESSES DAAC. *USGS Earth Resources Observation and Science (EROS) Center*. Sioux Falls, 2017.
- [243] NATHAN, R., SPIEGEL, O., FORTMANN-ROE, S., HAREL, R., WIKELSKI, M., AND GETZ, W. Using tri-axial acceleration data to identify behavioral modes of free-ranging animals: general concepts and tools illustrated for griffon vultures. *Journal of Experimental Biology* 215 (2012), 986–996.
- [244] NELSON, R. J., DENLINGER, D. L., AND SOMERS, D. E., Eds. *Photoperiodism: the biological calendar*. Oxford University Press, Oxford, 2010.
- [245] NENADIC, O., AND GREENACRE, M. Correspondence Analysis in R, with two- and three-dimensional graphics: The ca package. *Journal of Statistical Software* 20 (2007), 1–13.

- 
- [246] NICHOLS, W. F., KILLINGBECK, K. T., AND AUGUST, P. V. The influence of geomorphological heterogeneity on biodiversity II. A patch-scale perspective. *Conservation Biology* 12 (1998), 371–379.
- [247] NORTON, D. A. Conservation biology and private land: shifting the focus. *Conservation Biology* 14 (2000), 1221–1223.
- [248] NORTON, P. M. Historical changes in the distribution of leopards in the Cape Province, South Africa. *Bontebok* 5 (1986), 1–9.
- [249] NORTON, P. M., AND HENLEY, S. R. Home range and movements of male leopards in the Cedarberg Wilderness Area, Cape Province. *South African Journal of Wildlife Research* 17 (1987), 41–48.
- [250] NORTON, P. M., AND LAWSON, A. B. Radio tracking of leopards and caracals in the Stellenbosch area, Cape Province. *South African Journal of Wildlife Research* 16 (1985), 47–52.
- [251] NORTON, P. M., LAWSON, A. B., HENLEY, S. R., AND AVERY, G. Prey of leopards in four mountainous areas of the south-western Cape Province. *South African Journal of Wildlife Research* 16 (1986), 47–52.
- [252] O’CONNELL, A. F., NICHOLS, J. D., AND KARANTH, K. U. *Camera traps in animal ecology: methods and analyses*. No. January 2011. Springer, London, 2011.
- [253] O’FARRELL, P., LE MAITRE, D., GELDERBLUM, C., BONORA, D., HOFFMAN, T., AND REYERS, B. Applying a resilience framework in the pursuit of sustainable land-use development in the Little Karoo, South Africa. In *Advancing Sustainability Science*. SUN PReSS, Stellenbosch, 2008, pp. 383–432.
- [254] OLIVEIRA-SANTOS, L. G. R., ZUCCO, C. A., AND AGOSTINELLI, C. Using conditional circular kernel density functions to test hypotheses on animal circadian activity. *Animal Behaviour* 85 (2013), 269–280.
- [255] ORPWOOD, J. E., GRIFFITHS, S. W., AND ARMSTRONG, J. D. Effects of food availability on temporal activity patterns on growth of Atlantic salmon. *Journal of Animal Ecology* 75 (2006), 677–685.
- [256] OTIS, D. L., BURNHAM, K. P., WHITE, G. C., AND ANDERSON, D. R. Statistical inference from capture data on closed animal populations. *Wildlife Monographs* 62 (1978).
- [257] PALOMARES, F., AND DELIBES, M. Determining activity types and budgets from movement speed of radio-marked mongooses. *Journal of Wildlife Management* 57 (1993), 164–167.
- [258] PARTECKE, J., HOF, T. J. V., AND GWINNER, E. Underlying physiological control of reproduction in urban and forest-dwelling European blackbirds *Turdus merula*. *Journal of Avian Biology* 36 (2005), 295–305.
- [259] PEARSON, O. P. A traffic survey of *Microtus reithrodontomys* runways. *Journal of Mammalogy* 40 (1959), 169–180.
- [260] PEARSON, O. P. Habits of *Microtus californicus* revealed by automatic photographic recorders. *Ecological Monographs* 30 (1960), 231–250.
- [261] PICMAN, J. An inexpensive camera setup for the study of egg predation at artificial nests. *Journal of Field Ornithology* 58 (1992), 372–382.
- [262] PITTENDRIGH, C. S. The amplitude of circadian oscillations: temperature dependence, latitudinal clines and photoperiodic time measurement. *Journal of Biological Rhythms* 6 (1991), 299–313.
- [263] PITTENDRIGH, C. S., AND DAAN, S. A functional analysis of circadian pacemakers in nocturnal rodents. IV. Entrainment: pacemaker as clock. *Journal of Comparative Physiology* 106 (1976), 291–331.

- [264] PLEDGER, S. Unified maximum likelihood estimates for closed capture-recapture models using mixtures. *Biometrics* 56 (2000), 434–442.
- [265] POOLE, K. G., AND BOAG, D. A. Ecology of gyrfalcons, *Falco rusticolus*, in the central Canadian Arctic: diet and feeding behavior. *Canadian Journal of Zoology* 41 (1988), 31–38.
- [266] POSSIDENTE, B., AND HEGMANN, J. P. Gene differences modify Aschoff’s rule in mice. *Physiology and Behavior* 28 (1982), 199–200.
- [267] PYKE, G. H., PULLIAM, H. R., AND CHARNOV, E. L. Optimal foraging: a selective review of theory and tests. *The Quarterly Review of Biology* 52 (1977), 137–154.
- [268] QUANTUM GIS DEVELOPMENT TEAM. *QGIS Geographic Information System, Open Source Geospatial Foundation Project*. version 2.10.1. Pisa, 2017.
- [269] R DEVELOPMENT CORE TEAM. *R: a language and environment for statistical computing*. R Foundation for Statistical Computing, version 3.2.4. Vienna, Austria, 2016.
- [270] RADLOFF, F. G. T. *The ecology of large herbivores native to the coastal lowlands of the Fynbos Biome in the Western Cape, South Africa*. PhD thesis, Stellenbosch University, Stellenbosch, South Africa, 2008.
- [271] RAMESH, T., SNEHALATHA, V., SANKAR, K., AND QURESHI, Q. Food habits and prey selection of tiger and leopard in Mudumalai Tiger Reserve, Tamil Nadu, India. *Scientific Transactions in Environment and Technovation* 2 (2009), 170–181.
- [272] RASTOGI, A. D., ZANETTE, L., AND CLINCHY, M. Food availability affects diurnal nest predation and adult antipredator behaviour in song sparrows, *Melospiza melodia*. *Animal behaviour* 72 (2006), 933–940.
- [273] RAUTENBACH, T. *Assessing the diet of the Cape leopard (Panthera pardus) in the Cederberg and Gamka Mountains, South Africa*. MSc thesis, Nelson Mandela Metropolitan University, Port Elizabeth, 2010.
- [274] RAY, J. C., HUNTER, L., AND ZIGOURIS, J. Setting conservation and research priorities for larger African carnivores. 2005.
- [275] REEBS, S. G. Plasticity of diel and circadian activity rhythms in fishes. *Reviews in Fish Biology and Fisheries* 12 (2003), 349–371.
- [276] REISS, M. Scaling of home range size: body size, metabolic needs and ecology. *Trends in Ecology and Evolution* 3 (1988), 86–86.
- [277] REVIEWS, A. Partitioning of time as an ecological resource. *Annual Review of Ecology, Evolution and Systematics* 34 (2003), 153–181.
- [278] RICE, C. G. Trailmaster camera system: the dark side. *Wildlife Society Bulletin* 23 (1995), 110–111.
- [279] RICH, L. N., DAVIS, C. L., FARRIS, Z. J., MILLER, D. A. W., TUCKER, J. M., HAMEL, S., FARHADINIA, M. S., STEENWEG, R., DI BITETTI, M. S., THAPA, K., KANE, M. D., SUNARTO, S., ROBINSON, N. P., PAVIOLO, A., CRUZ, P., MARTINS, Q., GHOLIKHANI, N., TAKTEHRANI, A., WHITTINGTON, J., WIDODO, F. A., YOCOZ, N. G., WULTSCH, C., HARMSSEN, B. J., AND KELLY, M. J. Assessing global patterns in mammalian carnivore occupancy and richness by integrating local camera trap surveys. *Global Ecology and Biogeography* 26 (2016), 918–929.
- [280] RICHARDS, S. A. Temporal partitioning and aggression among foragers: modeling the effects of stochasticity and individual state. *Behavioral Ecology* 13 (2002), 427–438.
- [281] RICHARDSON, P. R. K. Food consumption and seasonal variation in the diet of the aardwolf *Proteles cristatus* in southern Africa. *Zeitschrift für Säugetierkunde* 52 (1987), 307–325.

- 
- [282] RICKART, E. A. Elevational diversity gradients, biogeography and the structure of montane mammal communities in the intermountain region of North America. *Global Ecology and Biogeography* 10 (2001), 77–100.
- [283] RIDOUT, A. M. S., LINKIE, M., RIDOUT, M. S., AND LINKIE, M. Estimating overlap of daily activity patterns from camera trap data. *Journal of Agricultural, Biological and Environmental Statistics* 14 (2017), 322–337.
- [284] RILEY, S. J., DEGLORIA, S. D., AND ELLIOT, R. A terrain ruggedness index that quantifies topographic heterogeneity. *Intermountain Journal of Sciences* 5 (1999), 23–27.
- [285] RIPLEY, B., VENABLES, B., BATES, D. M., HORNIK, K., GEBHARDT, A., AND FIRTH, D. *Package MASS in CRAN*. R package version 3.2.4. Vienna, Austria, 2016.
- [286] RIPPLE, W. J., AND BESCHTA, R. L. Wolves and the ecology of fear: can predation risk structure ecosystems? *BioScience* 54 (2004), 755–766.
- [287] RISSER, P. G. Landscape ecology: state of the art. In *Landscape heterogeneity and disturbance*, M. G. Turner, Ed. Springer, New York, 1987, pp. 3–14.
- [288] RIVERO, K., RUMIZ, D. I., AND TABER, A. B. Differential habitat use by two sympatric brocket deer species (*Mazama americana* and *M. gouazoubira*) in a seasonal Chiquitano forest of Bolivia. *Mammalia* 69 (2005), 169–183.
- [289] RODRIGUES, A. S. L., ANDELMAN, S. J., BAKARR, M. I., BOITANI, L., BROOKS, T. M., CROWLING, R. M., FISHPOOL, L. D. C., DA FONSECA, G. A. B., GASTON, K. J., HOFFMANN, M., LONG, J. S., MARQUET, P. A., PILGRIM, J. D., PRESSEY, R. L., SCHIPPER, J., SECHREST, W., STUART, S. N., UNDERHILL, L. G., WALLER, R. W., WATTS, M. E. J., AND YAN, X. Effectiveness of the global protected area network in representing species diversity. *Nature* 428 (2004), 640–643.
- [290] ROWCLIFFE, M., KAYS, R., KRANSTAUBER, B., CARBONE, C., AND JANSEN, P. A. Quantifying levels of animal activity using camera-trap data. *Methods in Ecology and Evolution* (2014), 1–10.
- [291] ROWSEMITT, C. N., PETTERBERG, L. J., CLAYPOOL, L. E., HOPPENSTAEDT, F. C., NEGUS, N. C., AND BERGER, P. J. Photoperiodic induction of diurnal locomotor activity in *Microtus montanus*, the montane vole. *Canadian Journal of Zoology* 60 (1982), 2798–2803.
- [292] ROYLE, J. A., KARANTH, K. U., GOPALASWAMY, A. M., AND KUMAR, N. S. Bayesian inference in camera trapping studies for a class of spatial capture-recapture models. *Ecology* 90 (2009), 3233–3244.
- [293] ROYLE, J. A., MAGOUN, A. J., GARDNER, B., VALKENBURG, P., AND LOWELL, R. E. Density estimation in a wolverine population using spatial capture-recapture models. *Journal of Wildlife Management* 75 (2011), 604–611.
- [294] SADLEIR, R. M. F. S. *The ecology of reproduction in wild and domestic mammals*. Methuen and Co., London, 1969.
- [295] SAPPINGTON, J. M., LONGSHORE, K. M., AND THOMPSON, D. Quantifying landscape ruggedness for animal habitat analysis: a case study using bighorn sheep in the Mojave Desert. *Journal of Wildlife Management* 71 (2007), 1419–1426.
- [296] SCHILLINGS, C. G. *With flash-light and rifle: a record of hunting adventures and of studies in wild life in equatorial East Africa*. Harper & Brothers, New York, 1905.
- [297] SCHILLINGS, C. G. *In wildest Africa. Volume I and II*. Hutchinson & Co., London, 1907.
- [298] SCHOENER, T. W. Resource partitioning in ecological communities. *Science* 185 (1974), 27–39.
- [299] SCHRADIN, C., AND PILLAY, N. Female striped mice (*Rhabdomys pumilio*) change their home ranges in response to seasonal variation in food availability. *Behavioral Ecology* 17 (2006), 452–458.



- [300] SCHWARZ, C. J., AND SEBER, G. A. F. Estimating animal abundance. *Statistical Science* 14 (1999), 427–456.
- [301] SHIMOMURA, K., VITATERNA, M. H., LOW-ZEDDIES, S. S., WHITELEY, A. R., AND TAKAHASHI, J. S. *Genetic dissection of strain differences in mouse circadian rhythmicity. Presented at the Annual Meeting of the Society for Research on Biological Rhythms*. Amelia Island Plantation, 1998.
- [302] SHIRAS, G. Photographing wild game with flashlight and camera. *National Geographic Magazine* 17 (1906), 366–423.
- [303] SHIRAS, G. One season's game bag with a camera. *National Geographic Magazine* 19 (1908), 387–446.
- [304] SHIRAS, G. Wild animals that took their own pictures by day and by night. *National Geographic Magazine* 24 (1913), 763–834.
- [305] SHUKOR, M. N. Elevational diversity patterns of small mammals on Mount Kinabalu, Sabah, Malaysia. *Global Ecology and Biogeography* 10 (2001), 41–62.
- [306] SILVER, S. C., OSTRO, L. E. T., MARSH, L. K., MAFFEI, L., NOSS, A. J., KELLY, M. J., WALLACE, R. B., GOMEZ, H., AND AYALA, G. The use of camera traps for estimating jaguar *Panthera onca* abundance and density using capture-recapture analysis. *Oryx* 38 (2004), 148–154.
- [307] SILVERTOWN, J. A new dawn for citizen science. *Trends in Ecology and Evolution* 24 (2009), 467–471.
- [308] SIMBERLOFF, D. Community ecology: is it time to move on? *American Society of Naturalists* 163 (2004), 787–799.
- [309] SIMONOFF, J. S. *Density estimation for statistics and data analysis*. Chapman and Hall, London, 1986.
- [310] SKINNER, J. D., AND SMITHERS, R. H. N. *The mammals of the southern African subregion*. University of Pretoria, Pretoria, 1990.
- [311] SMALLWOOD, K. S., AND FITZHUGH, E. L. A track count for estimating mountain lion *Felis concolor* California population trends. *Biological Conservation* 71 (1995), 251–259.
- [312] SMITH, D. A. E., SMITH, Y. C. E., RAMESH, T., AND DOWNS, C. T. Camera-trap data elucidate habitat requirements and conservation threats to an endangered forest specialist, the spotted ground thrush (*Zoothera guttata*). *Forest Ecology and Management* 400 (2017), 523–530.
- [313] SOISALO, M. K., AND CAVALCANTI, S. M. Estimating the density of a jaguar population in the Brazilian Pantanal using camera-traps and capture-recapture sampling in combination with GPS radio-telemetry. *Biological Conservation* 129 (2006), 487–496.
- [314] SOLLMANN, R., FURTADO, M. M., GARDNER, B., HOFER, H., JACOMO, A. T. A., TÔRRES, N. M., AND SILVEIRA, L. Improving density estimates for elusive carnivores: accounting for sex-specific detection and movements using spatial capture-recapture models for jaguars in central Brazil. *Biological Conservation* 144 (2011), 1017–1024.
- [315] SOLLMANN, R., FURTADO, M. M., HOFER, H., JÁCOMO, A. T. A., TORRES, N. M., AND SILVEIRA, L. Using occupancy models to investigate space partitioning between two sympatric large predators, the jaguar and puma in central Brazil. *Mammalian Biology* 77 (2012), 41–46.
- [316] SOLLMANN, R., GARDNER, B., CHANDLER, R. B., SHINDLE, D. B., ONORATO, D. P., ROYLE, J. A., AND O'CONNELL, A. F. Using multiple data sources provides density estimates for endangered Florida panther. *Journal of Applied Ecology* 50 (2013), 961–968.
- [317] SONI, B. G., AND FOSTER, R. G. A novel and ancient vertebrate opsin. *Federation of European Biochemical Societies Letters* 406 (1997), 279–283.

- 
- [318] SOULÉ, M. E., AND WILCOX, B. A. *Conservation biology: an evolutionary-ecological perspective*. Sinauer Associates, Sunderland, 1980.
- [319] SOUTH AFRICAN NATIONAL BIODIVERSITY INSTITUTE. *Little Karoo Biodiversity Assessment*. South African National Biodiversity Institute, Cape Town, 2008.
- [320] STANDER, P. E., HADEN, P. J., KAZECE, I., AND GHOU, I. The ecology of asociality in Namibian leopards. *Journal of Zoology* 242 (1997), 343–364.
- [321] STEIDL, R. J., GRIFFIN, C. R., AND NILES, L. J. Differential reproductive success of ospreys in New Jersey. *Journal of Wildlife Management* 55 (1991), 266–272.
- [322] STEPHENS, P. A., ZAUMYSLOVA, O. Y., MIQUELLE, D. G., MYSLENKOV, A. I., AND HAYWARD, G. D. Estimating population density from indirect sign: track counts and the Formozov-Malyshev-Pereleshin formula. *Animal Conservation* 9 (2006), 339–348.
- [323] STRAUSS, S. Y. Indirect effects in community ecology: their definition, study and importance. *Trends in Ecology and Evolution* 6 (1991), 206–210.
- [324] STUART, C. T. Notes on the mammalian carnivores of the Cape Province, South Africa. *Bontebok* 1 (1981), 1–58.
- [325] STUART, C. T., MACDONALD, I. A. W., AND MILLS, M. G. L. History, current status and conservation of large mammalian predators in Cape Province, Republic of South Africa. *Biological Conservation* 31 (1985), 7–19.
- [326] SUNQUIST, M. E., AND SUNQUIST, F. C. *Wild cats of the world*. The University of Chicago Press, Chicago, 2002.
- [327] SUSELBEEK, L., ESENS, W.-J., HIRSCH, B. T., KAYS, R., ROWCLIFFE, J. M., ZAMORA-GUTIERREZ, V., AND JANSEN, P. A. Food acquisition and predator avoidance in a Neotropical rodent. *Animal Behaviour* 88 (2014), 41–48.
- [328] SWANEPEOL, L. H., LINDSEY, P., SOMERS, M. J., VAN HOVEN, W., AND DALERUM, F. Extent and fragmentation of suitable leopard habitat in South Africa. *Animal Conservation* 16 (2013), 41–50.
- [329] SWANEPEOL, L. H. *Viability of leopards Panthera pardus (Linnaeus, 1758) in South Africa*. PhD Thesis. University of Pretoria, Pretoria, 2009.
- [330] SWANN, D. E., HASS, C. C., DALTON, D. C., AND WOLF, S. A. Infrared-triggered cameras for detecting wildlife: an evaluation and review. *Wildlife Society Bulletin* 32 (2004), 357–365.
- [331] SWANSON, A., KOSMALA, M., SWANSON, A., KOSMALA, M., LINTOTT, C., AND SIMPSON, R. Snapshot Serengeti, high-frequency annotated camera trap images of 40 mammalian species in an African savanna. *Scientific Data* 2 (2015), 150026.
- [332] SYMONDS, M. R. E., AND MOUSSALLI, A. A brief guide to model selection, multimodel inference and model averaging in behavioural ecology using Akaike’s information criterion. *Behavioral Ecology and Sociobiology* 65 (2011), 13–21.
- [333] SZOR, G., BERTEAUX, D., AND GAUTHIER, G. Finding the right home: distribution of food resources and terrain characteristics influence selection of denning sites and reproductive dens in arctic foxes. *Polar Biology* 31 (2008), 351–362.
- [334] TAYLOR, C. R. Hygroscopic food: a source of water for desert antelopes? *Nature* 219 (1968), 181–182.
- [335] TERBORGH, J. Maintenance of diversity in tropical forests. *Biotropica* 24 (1992), 283–292.
- [336] TERRIEN, J., PERRET, M., AND AUJARD, F. Behavioral thermoregulation in mammals: a review. *Frontiers in Bioscience* 16 (2011), 1428–1444.

- [337] THOMPSON, I. D., DAVIDSON, I. J., O'DONNELL, S., AND BRAZEAU, F. Use of track transects to measure the relative occurrence of some boreal mammals in uncut forest and regeneration stands. *Revue Canadienne de Zoologie* 67 (1989), 1816–1823.
- [338] TOBLER, M. Camera base user guide, 2013.
- [339] TRACY, C. R., AND CHRISTIAN, K. A. Ecological relations among space, time, and thermal niche axes. *Ecology* 67 (1986), 609–615.
- [340] TROLLE, M., AND KERY, M. Density estimation of ocelot *Leopardus pardalis* in the Brazilian Pantanal using capture-recapture analysis of camera trapping data. *Journal of Mammalogy* 84 (2003), 607–614.
- [341] TUKEY, J. W. *Exploratory data analysis*. Addison-Wesley, Boston, 1977.
- [342] TULLOCH, A. I. T., POSSINGHAM, H. P., JOSEPH, L. N., SZABO, J., AND MARTIN, T. G. Realising the full potential of citizen science monitoring programs. *Biological Conservation* 165 (2013), 128–138.
- [343] TURNER, M. G. Landscape ecology: the effect of pattern on process. *Annual Review of Ecology and Systematics* 20 (1989), 171–197.
- [344] TURNER, M. G., DALE, V. H., AND GARDNER, R. H. Predicting across scales: theory development and testing. *Landscape Ecology* 3 (1989), 245–252.
- [345] UNDERWOOD, H., AND GOLDMAN, B. D. Vertebrate circadian and photoperiodic systems: role of the pineal gland and melatonin. *Journal of Biological Rhythms* 2 (1987), 279–315.
- [346] VAN DER MERWE, I., BENNETT, N. C., HAIM, A., AND OOSTHUIZEN, M. K. Locomotor activity in the Namaqua rock mouse (*Micaelamys namaquensis*) – entrainment by light manipulations. *Revue Canadienne de Zoologie* 92 (2014), 1083–1091.
- [347] VAN DYKE, F. The history and distinctions of conservation. In *Conservation biology. Foundations, concepts and applications*, F. van Dyke, Ed. Springer, Wheaton, 2008, pp. 1–27.
- [348] VAN SCHAIK, C. P., AND GRIFFITHS, M. Activity periods of indonesian rain forest mammals. *Biotropica* 28 (1996), 105–112.
- [349] VILLETTE, P., KREBS, C. J., AND JUNG, T. S. Evaluating camera traps as an alternative to live-trapping to estimate the density of snowshoe hares (*Lepus americanus*) and red squirrels (*Tamiasciurus hudsonicus*). *European Journal of Wildlife Research* 6 (2017), 3.
- [350] VON HUMBOLDT, A. *Ideen zu einer geographie der pflanzen nebat einem naturgemalde der tropenlander*. Tübingen, 1807.
- [351] VSN INTERNATIONAL. *Genstat for Windows 17th Edition*. VSN International, Hemel Hempstead, 2014.
- [352] WACHER, T., AND ATTUM, O. Preliminary investigation into the presence and distribution of small carnivores in the empty quarter of Saudi Arabia through the use of a camera trap. *Mammalia* 69 (2005), 81–84.
- [353] WAGENMAKERS, E., AND FARRELL, S. AIC model selection using Akaike weights. *Psychonomic Bulletin and Review* 11 (2004), 192–196.
- [354] WALLS, G. L. *The vertebrate eye and its adaptive radiation*. Cranbrook Institute of Science, Bloomfield Hills, 1942.
- [355] WANG, S. W., AND MACDONALD, D. W. The use of camera traps for estimating tiger and leopard populations in the high altitude mountains of Bhutan. *Biological Conservation* 142 (2009), 606–613.
- [356] WEGGE, P., POKHERAL, C. P., AND JNAWALI, S. R. Effects of trapping effort and trap shyness on estimates of tiger abundance from camera trap studies. *Animal Conservation* 7 (2004), 251–256.

- 
- [357] WEIHER, E., AND KEDDY, P. *Ecological assembly rules: perspectives, advances, retreat*. Cambridge University Press, Cambridge, 1999.
- [358] WHELAN, C. J., DILGER, M. L., ROBSON, D., HALLYN, N., AND DILGER, S. Effects of olfactory cues on artificial-nest experiments. *Auk* 111 (1994), 945–952.
- [359] WHITE, K. S. Seasonal and sex-specific variation in terrain use and movement patterns of mountain goats in southeastern Alaska. In *Biennial symposium: Northern Wild Sheep and Goat Council*, no. August. Kananaksis, 2006, pp. 183–193.
- [360] WHITTAKER, R. H. Vegetation of the Great Smoky Mountains. *Ecological Monographs* 26 (1956), 1–80.
- [361] WHITTAKER, R. H., LEVIN, S. A., AND ROOT, R. B. Niche, habitat and ecotope. *American Naturalist* 197 (1973), 321–328.
- [362] WIENS, J. A. Spatial scaling in ecology. *Functional Ecology* 3 (1989), 385–397.
- [363] WIENS, J. A., ADDICOTT, J. F., CASE, T. J., AND DIAMOND, J. The importance of spatial and temporal scale in ecological investigations. In *Community Ecology*, J. Diamond and T. J. Case, Eds. Harper & Row, New York, 1986, pp. 145–153.
- [364] WILLIAMS, B. K., NICHOLS, J. D., AND CONROY, M. J. *Analysis and management of animal populations: modeling, estimation, and decision making*. Academic Press, London, 2002.
- [365] WILSON, D. E., AND REEDER, D. M. *Mammal species of the world. A taxonomic and geographic reference*. Smithsonian Institution Press, Washington, DC, 1993.
- [366] WILTING, A., MOHAMED, A., AMBU, L. N., LAGAN, P., MANNAN, S., AND HOFER, H. Sunda clouded leopard *Neofelis diardi* density in two used forests in Sabah, Malaysian Borneo. *Oryx* 46 (2012), 423–426.
- [367] WINSLADE, P. Behavioural studies on the lesser sandeel *Ammodytes marinus* (Raitt) l. The effect of food availability on activity and the role of olfaction in food detection. *Journal of Fish Biology* 6 (1974), 565–576.
- [368] WULF, A. *The invention of nature: the adventures of Alexander von Humboldt, the lost hero of science*. London, 2016.
- [369] YARNELL, R., RICHMOND-COGGAN, L., WILLIAMS, K., BISSETT, C., WELCH, C., AND WIESEL, I. A conservation assessment of *Parahyaena brunnea*. In *The Red List of Mammals of South Africa, Swaziland and Lesotho*. South African National Biodiversity Institute and Endangered Wildlife Trust, South Africa, 2016.
- [370] YERUSHALMI, S., AND GREEN, R. M. Evidence for the adaptive significance of circadian rhythms. *Ecology Letters* 12 (2009), 970–981.
- [371] YIMING, L. Seasonal variation of diet and food availability in a group of Sichuan snub-nosed monkeys in Shennongjia Nature Reserve, China. *American Journal of Primatology* 68 (2006), 217–233.
- [372] ZALEWSKI, A. Seasonal and sexual variation in diel activity rhythms of pine marten *Martes martes* in the Białowieża National Park (Poland). *Acta Theriologica* 46 (2001), 295–304.
- [373] ZONNEVELD, I. S. The land unit - A fundamental concept in landscape ecology, and its applications. *Landscape Ecology* 3 (1989), 67–86.